



Weekly Crisis Capacity Indicator Snapshot


* Weekly Clisis Capacity illulcator shapshot
Crisis Data - dates 10/09/22 to 04/22/23
Crisis Data: Ages 0-17 - dates 10/09/22 to 04/22/23
All DCR Dispatches - dates 10/09/22 to 04/22/23
Weekly Staff Count - Staff providing Crisis or Investigaion services 10/09/22 to 04/22/23
Hospital placement locations (Invol and Vol) - No adjustment has been made for timely data - recent weeks likely low
Telehealth only, crisis and investigation services from 10/09/22 to 04/22/23
Crisis Service Unit Percent - Crisis Service units divided by Crisis units + Investigation units
Washington State Indicators of Anxiety or Depression Based on Reported Frequency of Symptoms During Last 7 Days
Place of Service -Crisis Services, percent of total by week
Place of Service -Investigations, percent of total by week
New COVID-19 Cases Reported Weekly per 100,000 population - 06/08/22 to 04/26/23
New COVID-19 Deaths Reported Weekly per 1,000,000 population - 06/08/22 to 04/26/23
Total Hospitalized Adults - COVID-19 (confirmed or supected) 7 day average
North Sound BH ASO Walkaway Chart 10/09/22 to 04/22/23


Crisis Data - dates 10/09/22 to 04/22/23














2023 week 16 ending 01/00/00








Washington State Indicators of Anxiety or Depression Based on Reported Frequency of Symptoms During Last 7 Days

The U.S. Census Bureau, in collaboration with five federal agencies, launched the Household Pulse Survey to produce data on the social and economic impacts of Covid-19 on American households. The Household Pulse Survey was designed to gauge the impact of the pandemic on employment status, consumer spending, food security, housing, education disruptions, and dimensions of physical and mental wellness.


https://data.cdc.gov/NCHS/Indicators-of-Anxiety-or-Depression-Based-on-Repor/8pt5-q6wp



% with Symptoms of Depressive Disorder value

% with Symptoms of Anxiety Disorder low conf. level % with Symptoms of Anxiety Disorder value • • • • • % with Symptoms of Anxiety Disorder high conf. level

Place of Service -Crisis Services, percent of total by week



Place of Service -Investigations, percent of total by week

